BACPAC Minimum Dataset: Required Baseline Demographic and Outcomes Measures

The Back Pain Consortium (BACPAC) Minimum Dataset defines a collection of core data elements to be collected in all longitudinal BACPAC studies involving chronic low back pain patients. The BACPAC Minimum Dataset is an expanded version of the HEAL Initiative Core Data Elements. These data elements are collected in addition to the NIH HEAL (Helping to End Addition Long-term Initiative) minimum dataset.

The minimum dataset includes a collection of demographic and baseline characteristic core data elements, which are administered to study participants at baseline only. Longitudinal assessments are performed at both baseline and 3-month follow-up visits (3-month +/- 2 weeks).

Demographic and Baseline Characteristic Core Data Elements

These questions are core data elements required for collection at baseline by BACPAC-funded projects. Those items in this form that are also marked with asterisks (*) are data elements required for collection by the NIH HEAL Initiative.

- *Date of birth: (mm/dd/yyyy)
- 2. *Age: (xx)
- 3. *Sex at birth:

Male

Female

Unknown

Intersex

4. *Gender identity

Male

Female

Unknown

Other, Specify

5. *Ethnicity
Hispanic or Latino
Not Hispanic or Latino
Unknown
Not Reported

6. *Race (Choose all that apply) American Indian or Alaska Native Asian Black or African American Native Hawaiian or Pacific Islander White Unknown Not Reported
7. *What is the highest level of education you have completed? Did not complete Secondary School or Less than High School Some Secondary School or High School Education High School or Secondary School Degree Complete Associate's or Technical Degree Complete College or Baccalaureate Degree Complete Doctoral or Postgraduate Education
8. *What is your current employment status? Full-time employment Not employed Part-time Employment
9. *What category best describes your current relationship status? Divorced Married Never married Separated Widowed Domestic Partner
10. Including yourself, how many people live in your household?
11. *How long have you had the type of pain for which you are enrolled in this study? (Please list the number of months)
12. Is your low back pain more severe than pain in other parts of your body? Yes No Not sure
13. Have you ever had a low-back operation? Yes, one operation Yes, more than one operation No

14. If yes, when was your last back operation? Less than 6 months More than 6 months but less than 1 year ago Between 1 and 2 years ago More than 2 years ago
15. Did any of your back operations involve a spinal fusion? (also called an arthrodesis?) Yes No Not sure
16. Have you been off work or unemployed for 1 month or more due to low-back pain? Yes No Does not apply
17. Have you filed or been awarded a worker's compensation claim related to your back problem?YesNoDoes not apply
18. Are you involved in a lawsuit or legal claim related to your back problem? Yes No Not sure
19. *Have you ever applied for, or received, disability insurance for your pain condition? Yes No
20. *Height [inches] [cm] [measured] [self-reported]
21. *Weight [pounds] [kilograms] [measured] [self-reported]
22. *What is your annual household income from all sources? Less than \$10,000 \$10,000 \$24,999 \$25,000 \$34,999 \$35,000 \$49,999 \$50,000 \$74,999 \$75,000\$99,999 \$100,000 \$149,999 \$150,000 \$199,999

Outcomes Measures

Domains and instruments for the longitudinal assessments in the BACPAC Minimum Dataset are below. They are collected at baseline and at ongoing intervals. Where applicable, core data elements of the BACPAC Minimum Dataset are taken from previously validated instruments (e.g., PROMIS measures).

Domain	HEAL Core Instruments	Additional BACPAC Instruments
Pain Intensity	PEG Scale Assessing Pain Intensity and Interference (Pain, Enjoyment, General Activity)	Low-Back Pain Specific Pain Intensity
Pain Interference	PEG Scale Assessing Pain Intensity and Interference (Pain, Enjoyment, General Activity)	PROMIS-4 item Pain Interference
Physical Function/QOL	PROMIS Physical Functioning Short Form 6b	
Sleep	PROMIS Sleep Disturbance 6a + Sleep Duration	
Pain Catastrophizing	Pain Catastrophizing Scale - Short Form 6 (PCS-6)	
Depression	Patient Health Questionnaire (PHQ-2)	PROMIS-4 item Depression
Anxiety	Generalized Anxiety Disorder 2-item (GAD-2)	PROMIS-4 item Anxiety
Global Satisfaction with Treatment	Patients' Global Impression of Change (PGIC)	
Substance Use Screener	Tobacco, Alcohol, Prescription medications, and other Substance (TAPS1)	
Pain Location		Radicular Pain Questions Adapted from NIH Research Task Force Minimum Dataset

Pain Somatization	Abbreviated Pain Somatization Adapted from NIH Research Task Force Minimum Dataset
Widespread Pain	Widespread Pain Inventory
Chronic Lower Back Pain (cLBP) Definition: Pain Duration and Frequency	2 Items (low-back pain duration and frequency) from National Institutes of Health (NIH) Research Task Force Minimum Dataset
Opioid Use	Single-Item Current Opioid Use

Outcomes Assessment

Completed at baseline and 3 months. *=HEAL-required CDE

Pain Duration and Frequency

- 1. How long has low-back pain been an ongoing problem for you?
 - a. <3 months
 - b. 3-6 months
 - c. 6 months-1 year
 - d. 1 to 5 years
 - e. More than 5 years
- 2. How often has low-back pain been an ongoing problem for you over the past 6 months?
 - a. Every day or nearly every day in the past 6 months
 - b. At least half the days in the past 6 months
 - c. Less than half the days in the past 6 months

Pain Location

- 3. Has back pain spread to your buttock or thigh during the past 2 weeks?
 - a. Yes
 - b. No
 - c. Not sure
- 4. Has back pain spread below your knee during the past 2 weeks?
 - a. Yes
 - b. No
 - c. Not sure

Widespread Pain

- 5. Do you have chronic pain in the following areas?
- a. Head or face (yes / no)
- b. Right hand, arm, or shoulder (yes / no)
- c. Left hand, arm, or shoulder (yes / no)
- d. Right buttock, leg, or foot (yes / no)
- e. Left buttock, leg, or foot (yes / no)
- f. Chest, abdomen, or pelvis (yes / no)
- g. Neck or upper back (yes / no)

Pain Somatization

- 6. During the past 4 weeks, how much have you been bothered by...
- a. Stomach pain
- Not bothered at all
- Bothered a little
- Bothered a lot
- b. Headaches
- Not bothered at all
- Bothered a little
- Bothered a lot

Low-Back Pain Specific Pain Intensity

7. In	the	pas	t 7	days	3 F	low	wo	uld	you	rate	your	low-back	pain	on	avera	age?
0_	_1_	_2_	_3_	4_	_5_	_6_	_7_	_8_	_9_	10						
No P	ain							٧	Vors	st ima	ginal	ble pain				

Current Opioid Use

8. Are you currently taking any opioid pain medication on a daily basis? (Opioid or narcotic medications include prescription medications such as Vicodin, Lortab, Narco, Hydrocodone, codeine, Tylenol #3 or #4, Fentanyl, Duragesic, MS Contin, Percocet, OxyContin, oxycodone, Morphine, methadone, tramadol, Ultram, Diluadid)

- a. Yes
- b. No
- c. Not sure

PEG: Pain Intensity and Pain Interference*

9. Select the one number that describes your pain.

1)	WI	nat	nun	nbe	r be	st d	esci	ribe	s yo	ur <u>p</u>	<u>ain o</u>	on average in the past week?
	0_	_1_	_2_	_3_	_4_	_5_	_6_	_7_	_8_	_9_	_10	
No	Pa	ain							P	ain a	as ba	d as you can imagine

2) What number best describes how, during the past week, pain has interfered with your
enjoyment of life?
012345678910
Does not Interfere Completely Interferes
3) What number best describes how, during the past week, pain has interfered with your general
activity?
012345678910
Does not Interfere Completely Interferes
Pain Interference
10. PROMIS Pain Interference 4a
In the past 7 days
How much did pain interfere with your day-to-day activities?
Not at all
A little bit
Somewhat
Quite a bit
Very much
How much did pain interfere with work around the home?
Not at all
A little bit
Somewhat
Quite a bit
Very much
How much did pain interfere with your ability to participate in social activities?
Not at all
A little bit
Somewhat
Quite a bit
Very much
How much did pain interfere with your household chores?
Not at all
A little bit
Somewhat
Quite a bit
Very much

11. PROMIS Physical Function- 6b* Please respond to each question or statement by marking one box per row.
Are you able to do chores such as vacuuming or yard work? Without any difficulty (5) With a little difficulty (4) With some difficulty (3) With much difficulty (2) Unable to do (1)
Are you able to go up and down stairs at a normal pace? Without any difficulty (5) With a little difficulty (4) With some difficulty (3) With much difficulty (2) Unable to do (1)
Are you able to go for a walk of at least 15 minutes? ☐ Without any difficulty (5) ☐ With a little difficulty (4) ☐ With some difficulty (3) ☐ With much difficulty (2) ☐ Unable to do (1)
Are you able to run errands and shop? ☐ Without any difficulty (5) ☐ With a little difficulty (4) ☐ With some difficulty (3) ☐ With much difficulty (2) ☐ Unable to do (1)
Does your health now limit you in doing two hours of physical labor? ☐ Not at all (5) ☐ Very little (4) ☐ Somewhat (3) ☐ Quite a lot (2) ☐ Cannot do (1)
Does your health now limit you in doing moderate work around the house like vacuuming, sweeping the floors or carrying in groceries? ☐ Not at all (5) ☐ Very little (4) ☐ Somewhat (3) ☐ Quite a lot (2) ☐ Cannot do (1)

	. PROMIS Sleep Disturbance 6a* ease respond to each question or statement by marking one box per row.
	the past 7 days
My	y sleep quality was Very poor (5) Poor (4) Fair (3) Good (2) Very good (1)
My	the past 7 days y sleep was refreshing Not at all (5) A little bit (4) Somewhat (3) Quite a bit (2) Very much (1)
	ad a problem with my sleep Not at all (1) A little bit (2) Somewhat (3) Quite a bit (4) Very much (5)
h	ad difficulty falling asleep Not at all (1) A little bit (2) Somewhat (3) Quite a bit (4) Very much (5)
	y sleep was restless Not at all (1) A little bit (2) Somewhat (3) Quite a bit (4) Very much (5)
tr	ried hard to get sleep Not at all (1) A little bit (2) Somewhat (3) Quite a bit (4) Very much (5)

13. Sleep Du				
	-	γ hours and minutes of \underline{a}		et at night? (This
•		of hours and minutes y	ou spent in bed).	
hours ar	ndminutes of sleep	per night		
14. 6-item P	ain Catastrophizing Sc	ale*		
Everyone ex	periences painful situa	ations at some point in t	heir lives. Such expe	riences may include
headaches,	tooth pain, joint or mι	uscle pain. People are of	ten exposed to situa	tions that may
cause pain s	such as illness, injury, o	dental procedures or sur	gery.	
		thoughts and feelings th		
		ng different thoughts an	•	
	•	ease indicate the degree	to which you have t	hese thoughts and
teelings who	en you are experiencin	g pain.		
When I'm in	n nain			
WIICHTIII	r pann			
1. It's awful	and I feel that it overv	vhelms me		
0	1	2	3	4
Not at all	To a slight degree	To a moderate degree	To a great degree	All the time
2. I feel I car	n't stand it anymore			
0	1	2	3	4
Not at all	To a slight degree	To a moderate degree	To a great degree	All the time
_	afraid that the pain w	=	_	_
0		2		4
Not at all	To a slight degree	To a moderate degree	To a great degree	All the time
4 . Ll. a a a ± la:	امريمو ما خريما ما مراد	. :+ h		
4. I keep thi	nking about how much	1 It nurts	2	4
Not at all	I	To a moderate degree	5	4
Not at all	To a slight degree	To a moderate degree	io a great degree	All the time
5. I keen thi	nking about how hadly	/ I want the pain to stop		
0	1	2	3	4
Not at all	To a clight degree			T

To a slight degree To a moderate degree To a great degree

Depression

6. I wonder whether something serious may happen

15. PHQ-2*

Not at all

All the time

a. Over the pa	st 2 weeks, ho	w often	have you been bothered by the	he following problems?			
i. Little interes Not at all 0	t or pleasure ir Several days 1	n doing	things More than half the days 2	Nearly every day 3			
b. Feeling dowNot at all0	n, depressed, Several days 1	or hope	eless More than half the days 2	Nearly every day 3			
	16. PROMIS 4-item Depression In the past 7 days						
I felt worthles Never Rarely		Often	Always				
I felt helpless Never Rarely	Sometimes	Often	Always				
I felt depresse Never Rarely		Often	Always				
I felt hopeless Never Rarely	Sometimes	Often	Always				
i. Feeling nerv Not at all	ous, anxious or Several days		More than half the days	Nearly every day			
0	1		2	3			
b. Not be Not at all 0	ing able to stop Several days 1	or cor	ntrol worrying More than half the days 2	Nearly every day 3			
18. PROMIS 4-item anxiety Emotional Distress – Anxiety – Short Form 4a Please respond to each question or statement by marking one box per row.							
In the past 7 d	In the past 7 days						
I felt fearful ☐ Never (1)							

	Rarely (2) Sometimes (3) Often (4) Always (5)
	Never (1) Rarely (2) Sometimes (3) Often (4) Always (5)
	worries overwhelmed me Never (1) Rarely (2) Sometimes (3) Often (4) Always (5)
	It uneasy Never (1) Rarely (2) Sometimes (3) Often (4) Always (5)
Sin 1 - 2 - 3 - 4 - 5 - 6 -	Patient Global Impression of Change* ce the start of (INTERVENTION), my overall pain is Very much improved Much improved Minimally improved No Change Minimally worse Much worse Very much worse
20	TAPS* Substance Use Screener

General Instructions:

The TAPS Tool Part 1 is a 4-item screening for tobacco use, alcohol use, prescription medication misuse, and illicit substance use in the past year. Question 2 should be answered only by males and Question 3 only be females. Each of the four multiple-choice items has five possible responses to choose from. Check the box to select your answer.

1. In the PAST 12 MONTHS, how often have you used any tobacco product (for example, cigarettes, e-cigarettes, cigars, pipes, or smokeless tobacco)?

- 0 Daily or Almost Daily
- 1 Weekly
- 2 Monthly
- 3 Less Than Monthly
- 4 Never
- 2. In the PAST 12 MONTHS, how often have you had 5 or more drinks containing alcohol in one day? One standard drink is about 1 small glass of wine (5 oz), 1 beer (12 oz), or 1 single shot of liquor. (Note: This question should only be answered by males).
 - 0 Daily or Almost Daily
 - 1 Weekly
 - 2 Monthly
 - 3 Less Than Monthly
 - 4 Never
- 3. In the PAST 12 MONTHS, how often have you had 4 or more drinks containing alcohol in one day? One standard drink is about 1 small glass of wine (5 oz), 1 beer (12 oz), or 1 single shot of liquor. (Note: This question should only be answered by females).
 - 0 Daily or Almost Daily
 - 1 Weekly
 - 2 Monthly
 - 3 Less Than Monthly
 - 4 Never
- 4. In the PAST 12 MONTHS, how often have you used any drugs including marijuana, cocaine or crack, heroin, methamphetamine (crystal meth), hallucinogens, ecstasy/MDMA?
 - 0 Daily or Almost Daily
 - 1 Weekly
 - 2 Monthly
 - 3 Less Than Monthly
 - 4 Never
- 5. In the PAST 12 MONTHS, how often have you used any prescription medications just for the feeling, more than prescribed or that were not prescribed for you? Prescription medications that may be used this way include: Opiate pain relievers (for example, OxyContin, Vicodin, Percocet, Methadone) Medications for anxiety or sleeping (for example, Xanax, Ativan, Klonopin) Medications for ADHD (for example, Adderall or Ritalin)
 - 0 Daily or Almost Daily
 - 1 Weekly
 - 2 Monthly
 - 3 Less Than Monthly
 - 4 Never